

GALLERY[®] STEEL

garage doors

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors[®]



*Model GD5L with SQ24 Windows, Spade Lift Handles,
Step Plates and Optional Decorative Spade Strap Hinges*

GALLERY® STEEL

Clopay's one and two-layer Gallery® Steel combines stylish carriage house designs at more affordable prices. Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.



STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge, 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV, GD5LV and GD4LV).
- Long-life nylon rollers are quiet and durable.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.

2
LAYER
CONSTRUCTION

R-VALUE
6.3

Model	Description
GD5SV	25 Gauge, Short Panel, Insulated
GD4SV	24 Gauge, Short Panel, Insulated
GD5LV	25 Gauge, Long Panel, Insulated
GD4LV	24 Gauge, Long Panel, Insulated

1
LAYER
CONSTRUCTION

Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD5L	25 Gauge, Long Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated



Model GD4LV, Shown in Ultra-Grain® Oak Walnut Finish with SQ24 Windows

VINTAGE style with updated APPEAL

DOOR DESIGNS



Short Panel
(GD5S, GD5SV, GD4S and GD4SV)



Long Panel
(GD5L, GD5LV, GD4L and GD4LV)

GD5S/GD5SV available 5'0"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8").
GD4S/GD4SV available 5'0"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8").
GD5L/GD5LV available 7'8"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8").
GD4L/GD4LV available 7'8"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8").
All doors available 6'0"-16'0" high in 3" increments. Standard hardware shown above.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

COLORS



- Exterior steel on solid colors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

*Not available on Models GD5L, GD5LV, GD4L and GD4LV.

†Additional charges apply. Not available on Models GD5S, GD5SV, GD5L and GD5LV. Due to the printing process, colors may vary.

ULTRA-GRAIN® FINISH



Ultra-Grain® Oak Walnut Finish



Ultra-Grain® Oak Slate Finish

- Painted steel surface simulates a real stained door without the need of staining and the ongoing maintenance of wood.
- Oak woodgrain runs horizontal on stiles and vertical on panels for an authentic, natural look.
- Exterior steel surface on an Ultra-Grain® finish door has a woodgrain texture.

Additional charges apply.

Not available on Models GD5S, GD5SV, GD5L and GD5LV

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

Doors range from 6'0" to 16'0" high and 5'0" to 20'0" wide. Door widths 10'2" – 11'4" and 14'8" are not available. Consult your Clopay Dealer for size options.

MODELS GD5S, GD5SV, GD4S AND GD4SV

Models GD5S and GD5SV
available only in widths up to 18'.

HEIGHTS 7'0" – 8'0"

WIDTHS 5'0" – 6'0" 6'2" – 7'6" 7'8" – 10'0" 11'6" – 14'6" 14'10" – 19'0" 19'2" – 20'0" 7'8" – 10'0" 10'6" – 12'0"

Illustrations simplified for clarity.

Long Top Section

Plain Short

Plain Long

REC12

REC14

SQ22

SQ24

Trenton® Short†

Trenton® Long†

Kristin® Short†

Kristin® Long†

Wrought Iron Short**

Wrought Iron Long**

ARCH1

Vertical Grille
on ARCH1

Grille on ARCH1

ARCH2

Vertical Grille
on ARCH2

Grille on ARCH2

ARCH3

Vertical Grille
on ARCH3

Grille on ARCH3

Clayton™ Short†

Clayton™ Long†

Wrought Iron Arch**

*Acrylic

†Complements Clopay Entry Door glass.


Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

Doors range from 6'0" to 16'0" high and 7'8" to 20'0" wide. Door widths 10'2" – 11'4" and 14'8" are not available. Consult your Clopay Dealer for size options.

MODELS GD5L, GD5LV, GD4L AND GD4LV

Models GD5L and GD5LV
available only in widths up to 18'.



Short Top Section

Plain Short

Plain Long

REC12

REC14

SQ22

SQ24

Trenton® Short†

Trenton® Long†

Kristin® Short†

Kristin® Long†

Wrought Iron Short**

Wrought Iron Long**

ARCH1

Vertical Grille on ARCH1

Grille on ARCH1

ARCH2

Vertical Grille on ARCH2

Grille on ARCH2

ARCH3

Vertical Grille on ARCH3

Grille on ARCH3

Clayton™ Short†

Clayton™ Long†

Wrought Iron Arch**

*Acrylic

†Complements Clopay Entry Door glass.

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

Windows

GLASS



Plain Short



Plain Long



REC12



ARCH1



ARCH2



SQ22



Vertical Grille on ARCH1



Vertical Grille on ARCH2



REC14



Grille on ARCH1



Grille on ARCH2



SQ24

ACRYLIC



Wrought Iron Short*



Wrought Iron Long*




Wrought Iron Arch*

*Complements Clopay Entry Door glass.


Long and short windows may be used in any Gallery Steel 1 and 2-layer model. Double strength glass is standard. Optional 1/8" obscure glass is available on all Gallery Steel 1 and 2-layer models.

Additional charges for optional glass apply.

Windows are available single pane in clear, frosted, seeded, obscure and rain designs. Clear acrylic also available.



Clear



Frosted



Seeded



Obscure



Rain

Decorative Hardware

STANDARD



Spade Lift Handles



Spade Step Plate

Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen. See your Clopay Dealer for details.

OPTIONAL



Spear Lift Handles†



Spear Step Plate†



Spear Strap Hinge**



Spade Strap Hinge*
(Complements Spade Lift Handles and Spade Step Plate)



Colonial Lift Handles†



Colonial Step Plate†




Colonial Strap Hinge**



Operable L-Keylocks



Operable T-Keylock



Escutcheon Plates

†Aluminum construction.

**Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

Warranties

25 GAUGE DOORS (GD5S, GD5L, GD5SV and GD5LV)



24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)



Environmental Assurance

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations

Additional Features



Large authentic arch window designs.



Decorative panel edging and natural embossed woodgrain texture.



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



© 2024 Clopay Corporation. All rights reserved.

RSR-GALLERY1-2LAYERSS-11_REV0324



DESIGN YOUR DOOR
OPEN CAMERA
AND POINT!